



# Evasion of High-End IDPS Devices at the IPv6 Era

**Antonios Atlasis**   **Enno Rey**   **Rafael Schaefer**

*secfu.net*  
*aatlasis@secfu.net*

*ERNW GmbH*  
*erey@ernw.de*


*ERNW GmbH*  
*rschaefer@ernw.de*



# Who We Are

---

- **Enno Rey**
  - Old school network security guy. Back in 2001 founder of ERNW & still proudly running the team.
- **Antonios Atlasis**
  - IT Security enthusiast.
  - Researching security issues for fun.
- **Rafael Schaefer**
  - ERNW student
  - Young researcher



# Outline of the Presentation

---




- Introduction
  - IPv6 is here
  - What IPv6 brings with it:  
The Extension Headers
- Problem Statement. Describe the Mess
- Tested IDPS devices:
  - Suricata
  - Tipping Point
  - Sourcefire
  - Snort
- Mitigation & Conclusions



# IPv6 is Real

## Belgium

Display Users Data ⓘ




- ▢ The trend in other European countries is similar.



# What an IPv6 Datagrams Looks Like...



# What an IPv6 Datagram Looks Like...



- This is the root of 3 significant problems...


# The IPv6 Extension Headers

- Currently defined:
  - Hop-by-Hop Options [RFC2460]
  - Routing [RFC2460]
  - Fragment [RFC2460]
  - Destination Options [RFC2460]
  - Authentication [RFC4302]
  - Encapsulating Security Payload [RFC4303]
  - MIPv6, [RFC6275] (Mobility Support in IPv6)
  - HIP, [RFC5201] (Host Identity Protocol)
  - shim6, [RFC5533] (Level 3 Multihoming Shim Protocol for IPv6)
- There is a **RECOMMENDED** order.
- All (but the Destination Options header) **SHOULD** occur at most once.
- How a device should react **if NOT** ?



# Transmission & Processing of IPv6 Ext. Hdrs

- RFC 7045. Any forwarding node along an IPv6 packet's path:
  - should forward the packet regardless of any extension headers that are present.
  - MUST recognize and deal appropriately with all standard IPv6 extension header types.
  - SHOULD NOT discard packets containing unrecognised extension headers.






# Problem 1: Too Many Things to Vary


- Variable types
- Variable sizes
- Variable order
- Variable number of occurrences of each one.
- Variable fields



**IPv6 =  
f(v,w,x,y,z,)**



IPv6 header + some of the extension headers



## Problem 2: Fragmentation

- Both the *Fragmentable* and the *Unfragmentable* parts may contain any IPv6 Extension headers.
- Problem 1 becomes more complicated.

## Problem 3: How IPv6 Extension Headers are Chained?


IPv6 header	IPv6 Routing Extension header	IPv6 Destination Options header	TCP header + payload ...
Next Header Value = 43	Next Header Value = 60	Next Header Value = 6	

### Next header fields:


- Contained in IPv6 headers, identify the type of header immediately following the current one.
- They use the same values as the IPv4 Protocol field.



# Why IPv6 Header Chaining is a Problem?



## To sum up the Mess in IPv6



- Vary:
  - The types of the IPv6 Extension headers
  - The order of the IPv6 Extension headers
  - The number of their occurrences.
  - Their size.
  - Their fields.
  - The Next Header values of the IPv6 Fragment Extension headers in each fragment.
  - Fragmentation (where to split the datagram)
- And combine them.


## Did You Notice?



- When designing/writing IPv6 protocols & parsers they didn't pay too much attention to #LANGSEC.
- Please visit [www.langsec.org](http://www.langsec.org).

# We May Have a Fundamental Problem Here...

- There is too much flexibility and freedom...
- Which is usually inverse proportional to security :-)
- And it can potentially lead to a complete *cha0s*...



# So, What Can Possibly Go Wrong?

- Detection Signatures, e.g. used by IDPS rules, etc. are based on blacklisting traffic.
- What if we confuse their parsers by abusing IPv6 Extension headers in an unusual / unexpected way?







# All this is not just a theory



## The New version of Chiron - An all-in-one IPv6 Pen Testing Framework - as Released at Brucon 2014

The time has come and Chiron is presented at Brucon 2014, as a 5x5 project (for more info, please check <http://2014.brucon.org/index.php/Schedule>). It supports many new capabilities, not delivered before publicly. I am committed to continue developing and supporting this tool and to continue adding features, as well as improving its performance. Comments and ideas are always welcome.

Thanks!

Chiron\_0.7.tar.gz

GNU Compressed Tar Archive File [4.0 MB]

[Download](#)

- You can reproduce all the results that we shall demonstrate using *Chiron*
- It can be downloaded from:  
<http://www.secfu.net/tools-scripts/>



## Our Tests at a Glance

- Four (4) IDPS (two open-source, two high-end commercial ones).
- At least twelve (12) different evasion techniques, in total.
- All of them 0-days at the time of the finding.
- All of them were reported (disclosed responsibly).
- Most of them were patched, either promptly or not that promptly 😊.
- Some guys were too busy though, so two of the products still suffer from 0-days IPv6 evasion techniques.




# Evading Suricata



- Versions 2.0.1, 2.0.2 and 2.0.3 were evaded one by one by using various techniques.
- All of them can be found in the white paper and can be reproduced by using *Chiron*.

# Evading Suricata 2.0.3



Note: Other combinations of Extension Headers can also work (your ...homework)

# Suricata Developers in Each Reported Case Reacted really Fast



## Suricata 2.0.4 Available!



The OISF development team is pleased to announce Suricata 2.0.4. This release fixes a number of important issues in the 2.0 series.

This update fixes a bug in the SSH parser, where a malformed banner could lead to evasion of SSH rules and missing log entries. In some cases it may also lead to a crash. Bug discovered and reported by Steffen Bauch.

Additionally, this release also addresses a new IPv6 issue that can lead to evasion. Bug discovered by Rafael Schaefer working with ERNW GmbH.


## Download

Get the new release here: <http://www.openinfosecfoundation.org/download/suricata-2.0.4.tar.gz>

## Changes

- Bug #1276: ipv6 defrag issue with routing headers
- Bug #1278: ssh banner parser issue
- Bug #1254: sig parsing crash on malformed rev keyword
- Bug #1267: issue with ipv6 logging
- Bug #1273: Lua – http.request\_line not working
- Bug #1284: AF\_PACKET IPS mode not logging drops and stream inline issue

# Evading TippingPoint, “the Old Way” (March 2014)



**Note:** Layer-4 header can be in the 1<sup>st</sup> fragment and the attack still works

# Evading TippingPoint, "The Old Way"

Filter: `ipv6.nxt==44` Expression... Clear Apply Save

No.	Time	Source	Destination	Protocol	Length	Info
11	10.022415	2001:db8:1:1::74	2001:db8:1:1::77	IPv6	70	IPv6 fragment (nxt=IPv6 destination option (60) off=0 id=0xcc06b35d)
15	10.146063	2001:db8:1:1::74	2001:db8:1:1::77	TCP	128	ampr-inter > rap [FIN] Seq=1 Win=5498, bogus TCP header length (0, must be at least 20)

[Destination GeoiP: Unknown]

- Fragmentation Header
  - Next header: TCP (6)
  - Reserved octet: 0x0000
  - 0000 0000 0000 1... = Offset: 1 (0x0001)
  - .... .... .00. = Reserved bits: 0 (0x0000)
  - .... .... .0 = More Fragment: No
  - Identification: 0xcc06b35d
- [2 IPv6 Fragments (74 bytes): #11(8), #15(66)]
  - [Frame: 11, payload: 0-7 (8 bytes)]
  - [Frame: 15, payload: 8-73 (66 bytes)]
  - [Fragment count: 2]
  - [Reassembled IPv6 length: 74]
  - [Reassembled IPv6 data: 0600010001020000f70a00500001157a0000000050102000...]
- Transmission Control Protocol, Src Port: ampr-inter (1536), Dst Port: rap (256), Seq: 1
  - Source port: ampr-inter (1536)
  - Destination port: rap (256)
  - [Stream index: 1]
  - Sequence number: 1 (relative sequence number)
  - Header length: 0 bytes (bogus, must be at least 20)

```
0000 06 00 01 00 01 02 00 00 17 0a 00 50 00 01 15 7a ..... ..P...z
0010 00 00 00 00 50 10 20 00 8d 41 00 00 47 45 54 20 ....P. .A..GET
0020 2f 69 6e 64 65 78 2e 70 68 70 3f 61 73 64 3d 22 /index.p hp?asd="
0030 3e 3c 73 63 72 69 70 74 3e 61 6c 65 72 74 28 31 ><script >alert(1
0040 29 3c 2f 73 63 72 69 70 74 3e ..... )</scrip t>
```



## That First One Was Patched...

But Again We Had a New One ;-)

Model Number	110
Serial Number	U110C-50F
TOS Version	3.6.2.4109
Digital Vaccine	3.2.0.8565

### → Configured to:


- Operate inline at Layer 2.
- Block any HTTP traffic.
- Additional XSS rules (to test attacks at the payload too).







# Time for some more ...Action



- Evading TippingPoint 3.6.2 demonstration



## Snort / Sourcefire



- Quite similar situations, as expected.
- Still, the commercial device suffers from a 0-day evasion technique that the latest open-source version does not!

## The Chronicle of the Communication



- We first contacted the Snort devs on 17<sup>th</sup> of June.
  - “Please, send us the pcap files”
  - We did; no news since then...
- Reported a Sourcefire issue on Sep 14, and Sep 25, etc., including pcap files.
  - A kind of “don’t waste my time” approach.
  - “Please, contact the customer support...”

# Fair enough!



How-to-draw-funny-cartoons.com

- Time for a full disclosure!
- Live demos for SF.


## Evading Sourcefire

---



- Sourcefire, Model 3D7020 (81)  
Version 5.2.0.3 (Build 48).
- Preproc decoder rules were enabled:
  - GID 116 family and specifically, SID 458 (IPV6\_BAD\_FRAG\_PKT), 272 and 273 are enabled.

# Evading Sourcefire



Note: Next header values for Fragment Extension headers: The correct ones (60)

## Evading Snort


---



- Latest Snort version, 2.9.6.2
- Preproc decoder rules are enabled:
  - GID 116 family and specifically, SID 458 (IPV6\_BAD\_FRAG\_PKT), 272 and 273 are enabled.



# Evading Snort



Note: Next header values for Fragment Extension headers: the correct ones (60)

## “Culture” Mitigations



- RFCs should strictly define the exact legitimate usage.
  - “Loose” specifications result in ambiguities and so they introduce potential attack vectors.
  - Functionality and flexibility are definitely good things, but security is non-negotiable.
- Make fully-compliant IPv6 products and test them thoroughly.

# Technical Mitigations



- Implementation of RFC 7112.
  - An intermediate system (e.g., router or firewall) that receives an IPv6 First Fragment that does not include the entire IPv6 Header Chain MAY discard that packet.
  - Still, not a panacea...
  
- For the time being:
  - Configure your devices to drop IPv6 extension headers not used in your environment. OR
  - At least sanitize traffic before the IDPS.



# This Is how a Certain Vendor Interprets This

From sk39374

- How to handle IPv6 Extension Headers

By default, Check Point Security Gateway drops all extension headers, except fragmentation. This can be adjusted by editing the `allowed_ipv6_extension_headers` section of `$FWDIR/lib/table.defile` on the Security Management Server.

Furthermore, as of R75.40 there is an option to block type zero even if Routing header is allowed. It is configurable via a kernel parameter `fw6_allow_rh_type_zero`. The default of 0 means it is always blocked. If the value is set to 1, then the action is according to `allowed_ipv6_extension_headers`.

# In Case You still Want to Use an IDPS ...



- you **MUST** (header-wise) scrub the traffic before entering the IDPS.

# The Most Important “Take Away”



- These are just some of the IPv6 “grey areas”. Other may also exist.
  - Hint: MLD comes to mind...  
[see our upcoming DeepSec talk]
- IPv6 security awareness.
  - Test it and use it, in your lab.
  - You will have to do it, sooner or later, anyway...



There's never enough time...

**THANK YOU...**



**...for yours!**

**Tool & Slides:**



<https://www.insinuator.net>

<http://www.secfu.net/tools-scripts/>

## Questions?

---



- For more info check our [white paper](#)
- You can reach us at: 
  - [aatlasis@secfu.net](mailto:aatlasis@secfu.net), [www.secfu.net](http://www.secfu.net)
  - [erey@ernw.de](mailto:erey@ernw.de), [www.insinuator.net](http://www.insinuator.net)
  - [rschaefer@ernw.de](mailto:rschaefer@ernw.de)
- Follow us at: 
  - [@AntoniosAtlasis](#)
  - [@Enno\\_Insinuator](#)





There are few things to know about TROOPERS:  
March, 16-20 2015  
Heidelberg, Germany  
Make the world a safer place.



**REGISTRATION OPEN:** [www.troopers.de](http://www.troopers.de)